PASSPORT

GT SERIES TRAVEL TRAILERS . SL SERIES TRAVEL TRAILERS



PASSPORT

GT SERIES TRAVEL TRAILERS . SL SERIES TRAVEL TRAILERS



THE SWISS ARMY KNIFE OF RVS

Keystone Passport has developed a reputation as the lightweight that truly delivers the total package. More functionality, more standard features, and seemingly endless interior and exterior storage with every floorplan, keeps the Passport at the front of the pack. Now celebrating Passport's 15th Year Anniversary, come see why the Passport name has been campers' top choice for over a decade.

STANDARD FEATURES ON EVERY PASSPORT SL & GT MODEL:

- Slam-latch baggage doors
- · Power tongue jack
- · Power stabilizer jacks
- SolarFlex™ 200 solar power (400i option)
- · Battery disconnect
- · Rear cargo door on bunk models

- · Motion sensor lighting inside / out
- · Exterior convenience center
- · Arctic Teak cabinetry w/ hidden hinges
- · Drawers, drawers, drawers
- Resilient, easy-clean flooring (no carpet)
- · LED TV

- · Kitchen pantry
- · Residential queen mattress
- Large showers
- · HyperDeck™ water-resistant flooring
- Blade™ high-performance air flow system
- · KeyTV™ multisource signal controller

PASSPORT GT MODELS ALSO INCLUDE:

- Molded fiberglass front cap w/ automotive-grade paint
- · Fireplace in all couple's coaches
- · MoRryde solid entry step
- 10 cu Ft 12V refrigerators

- 15K AC
- · Vaulted ceilings

INFORMATION, VIDEOS, MODEL 360'S AND MORE.

- · Privacy roller shades
- Outside TV hookup under awning w/ backer
- · Backup camera prep
- Rear bumper w/ hose storage
- Large exterior grab handle
- Table and chairs option (select floorplans)
- 40" LED TV



THE SWISS ARMY KNIFE OF RVS

Keystone Passport has developed a reputation as the lightweight that truly delivers the total package. More functionality, more standard features, and seemingly endless interior and exterior storage with every floorplan, keeps the Passport at the front of the pack. Now celebrating Passport's 15th Year Anniversary, come see why the Passport name has been campers' top choice for over a decade.

STANDARD FEATURES ON EVERY PASSPORT SL & GT MODEL:

- · Slam-latch baggage doors
- Power tongue jack
- Power stabilizer jacks
- SolarFlex™ 200 solar power (400i option)
- Battery disconnect
- Rear cargo door on bunk models

- · Motion sensor lighting inside / out
- · Exterior convenience center
- · Arctic Teak cabinetry w/ hidden hinges
- Drawers, drawers, drawers
- Resilient, easy-clean flooring (no carpet)
- · LED TV

- · Kitchen pantry
- Residential queen mattress
- Large showers
- HyperDeck™ water-resistant flooring
- Blade™ high-performance air flow system
- KeyTV™ multisource signal controller

PASSPORT GT MODELS ALSO INCLUDE:

- Molded fiberglass front cap w/ automotive-grade paint
- · Fireplace in all couple's coaches
- MoRryde solid entry step
- · 10 cu Ft 12V refrigerators

- 15K AC
- Vaulted ceilings
- · Privacy roller shades
- Outside TV hookup under awning w/ backer
- · Backup camera prep
- · Rear bumper w/ hose storage
- · Large exterior grab handle
- · Table and chairs option (select floorplans)
- · 40" LED TV



VISIT KEYSTONERV.COM/PASSPORT FOR IN-DEPTH PRODUCT INFORMATION, VIDEOS, MODEL 360'S AND MORE.


SL-SERIES | PASSPORT TRAVEL TRAILER FLOORPLANS




189RB 189RBWE*

Rear bath, small-slide, couple's coach w/ outdoor kitchen

WEIGHT 4670 LENGTH 22' 9"



219BH 219BHWE* Bunkhouse w/ murphy bed, autdoor kitchen WEIGHT 4672 LENGTH 25' 6"



221BHWE*

Bunkhouse w/ murphy bed, slide, outdoor kitchen WEIGHT 5181 LENGTH 26' 0"




229RK 229RKWE* Rear kitchen, private bedroom WEIGHT 5170 LENGTH 26' 10"



252RD 252RDWE*

Rear living w/ large u-shaped dinette & walk-through bath WEIGHT TBD LENGTH 29'5"



268BHWE*


Super-slide bunkhouse w/ outdoor kitchen WEIGHT 5760 LENGTH 30' 7"



282QB 282QBWE* Super-slide bunkhouse w/ U-shaped basement storage

WEIGHT 6145 LENGTH 32* 11*

SL-SERIES | PASSPORT TRAVEL TRAILER FLOORPLANS



189RB 189RBWE*


Rear bath, small-slide, couple's coach w/ outdoor kitchen

WEIGHT 4670 LENGTH 22'9"



219BH 219BHWE* Bunkhouse w/ murphy bed, outdoor kitchen

WEIGHT 4672 LENGTH 25' 6"





Bunkhouse w/ murphy bed, slide, outdoor kitchen

WEIGHT 5181 LENGTH 26' 0"



229RK 229RKWE*


Rear kitchen, private bedroom WEIGHT 5170 LENGTH 26' 10"






Rear living w/ large u-shaped dinette ξ walk-through bath

WEIGHT TBD LENGTH 29' 5"



268BHWE*

Super-slide bunkhouse w/ outdoor kitchen
WEIGHT 5760 LENGTH 30' 7"



282QB 282QBWE*

Super-slide bunkhouse w/ U-shaped basement storage

WEIGHT 6145 LENGTH 32' 11"



GT-SERIES | PASSPORT TRAVEL TRAILER FLOORPLANS




2400RB 2400RBWE* Rear bath w/ double vanity & W/D prep WEIGHT 5725 LENGTH 28' 10"




2700RL 2700RLWE*

Rear living w/ walk-through bath, superslide WEIGHT TIID LENGTH 31' 11"



2870RL


Rear living w/ opposing slide-island & pantry WEIGHT 6845 LENGTH 32' 8"




3352BH

Dual-entry rear bunkhouse, 11/2 bath, outdoor kitchen WEIGHT 7650 LENGTH 37' 11"






2704RK 2704RKWE* Rear kitchen w/ dinette-slide, outdoor kitchen WEIGHT 6260 LENGTH 31' 7"




2951BH 2951BHWE* Dual-entry bunkhouse, outdoor kitchen, super slide WEIGHT 6535 LENGTH 33' 4"




3401QD

Private quad bunk w/ dual entrance WEIGHT TBD LENGTH 38' 11"

GT-SERIES | PASSPORT TRAVEL TRAILER FLOORPLANS




2400RB **2400RBWE** Rear bath w/ double vanity & W/D prep WEIGHT 5725 LENGTH 28' 10"



2700RL 2700RLWE*


Rear living w/ walk-through bath, superslide





2870RL


Rear living w/ opposing slide-island & pantry WEIGHT 6845 LENGTH 32' 8"



Dual-entry rear bunkhouse, 11/2 bath, outdoor kitchen


WEIGHT 7660 LENGTH 37' 11"






2704RK 2704RKWE*

Rear kitchen w/ dinette-slide, outdoor kitchen WEIGHT 6260 LENGTH 31' 7"



2951BH 2951BHWE*

Dual-entry bunkhouse, outdoor kitchen, super slide WEIGHT 6535 LENGTH 33' 4"



Private quad bunk w/ dual entrance WEIGHT TBD LENGTH 38' 11"



SL-SERIES TRAVEL TRAILERS

MODEL	WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	LPG	LENGTH*	WIDTH	HEIGHT	AWNING
189RB	4670	1760	530	43	30	30	40	22' 9"	8'	10' 4"	10"
219BH	4672	1758	535	43	30	30	40	25' 6"	В'	10' 4"	15'
221BH	5181	1819	685	43	30	60	40	26' 0"	8'	10' 8"	15'
229RK	5170	2030	575	43	30	30	40	26' 10"	8'	10'8"	19'
252RD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
268BH	5760	1440	595	43	30	60	40	30'7"	8'	10' 8"	19'
282QB	6145	1555	750	43	30	60	40	32' 11"	8'	10' 8"	21'

GT-SERIES TRAVEL TRAILERS

WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	LPG	LENGTH*	WIDTH	HEIGHT	AWNING
5725	1875	635	43	38	76	40	28' 10"	8'	10'8"	21'
TBD	TBD	TBD	43	38	76	40	28' 11"	8'	10'8"	21'
TBD	TBD	TBD	43	38	76	40	31' 11"	8'	10'8"	19'
6260	1940	660	43	38	76	40	31' 7"	8'	10'8"	19'
6845	1755	860	43	38	76	40	32' 8"	81	11' 2"	10'/10'
6535	1665	745	43	38	76	40	33' 4"	8'	11' 2"	21'
7660	1840	950	43	76	76	40	37' 11"	8'	11' 2"	21'
TBD	TBD	TBD	43	38	76	40	38' 11"	8'	11' 2"	21'
	5725 TBD TBD 6260 6845 6535 7660	WEIGHT CAPACITY 5725 1875 TBD TBD TBD TBD 6260 1940 6845 1755 6535 1665 7660 1840	WEIGHT CAPACITY WEIGHT 5725 1875 635 TBD TBD TBD TBD TBD TBD 6260 1940 660 6845 1755 860 6535 1665 745 7660 1840 950	WEIGHT CAPACITY WEIGHT WATER 5725 1875 635 43 TBD TBD TBD 43 TBD TBD TBD 43 6260 1940 660 43 6845 1755 860 43 6535 1665 745 43 7660 1840 950 43	WEIGHT CAPACITY WEIGHT WATER WATER 5725 1875 635 43 38 TBD TBD TBD 43 38 TBD TBD TBD 43 38 6260 1940 660 43 38 6845 1755 860 43 38 6535 1665 745 43 38 7660 1840 950 43 76	WEIGHT CAPACITY WEIGHT WATER WATER WATER 5725 1875 635 43 38 76 TBD TBD TBD 43 38 76 TBD TBD TBD 43 38 76 6260 1940 660 43 38 76 6845 1755 860 43 38 76 6535 1665 745 43 38 76 7660 1840 950 43 76 76	WEIGHT CAPACITY WEIGHT WATER WATER WATER LPG 5725 1875 635 43 38 76 40 TBD TBD TBD 43 38 76 40 TBD TBD TBD 43 38 76 40 6260 1940 660 43 38 76 40 6845 1755 860 43 38 76 40 6535 1665 745 43 38 76 40 7660 1840 950 43 76 76 40	WEIGHT CAPACITY WEIGHT WATER WATER WATER LPG LENGTH* 5725 1875 635 43 38 76 40 28° 10° TBD TBD TBD 43 38 76 40 28° 11° TBD TBD TBD 43 38 76 40 31' 11° 6260 1940 660 43 38 76 40 31' 7° 6845 1755 860 43 38 76 40 32' 8° 6535 1665 745 43 38 76 40 33' 4° 7660 1840 950 43 76 76 40 37' 11°	WEIGHT CAPACITY WEIGHT WATER WATER UNITER LPG LENGTH* WIDTH 5725 1875 635 43 38 76 40 28' 10" 8' TBD TBD TBD 43 38 76 40 28' 11" 8' TBD TBD TBD 43 38 76 40 31' 1" 8' 6260 1940 660 43 38 76 40 31' 7" 8' 6845 1755 860 43 38 76 40 32' 8" 8' 6535 1665 745 43 38 76 40 33' 4" 8' 7660 1840 950 43 76 76 40 37' 11" 8'	WEIGHT CAPACITY WEIGHT WATER WATER LPG LENGTH* WIDTH HEIGHT 5725 1875 635 43 38 76 40 28' 10" 8' 10' 8" TBD TBD TBD 43 38 76 40 31' 11" 8' 10' 8" FBD TBD TBD 43 38 76 40 31' 11" 8' 10' 8" 6260 1940 660 43 38 76 40 31' 7" 8' 10' 8" 6845 1755 860 43 38 76 40 32' 8" 8' 11' 2" 6535 1665 745 43 38 76 40 33' 4" 8' 11' 2" 7660 1840 950 43 76 76 40 37' 11" 8' 11' 2"

OR WESTERN PRODUCTION MODELS

MODEL	WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	LPG	LENGTH*	WIDTH	HEIGHT	AWNING
189RBWE	TBD	TBD	TBD	43	30	30	40	22' 9*	8'	10' 2"	10"
219BHWE	4660	1770	540	43	30	30	40	25' 6"	8'	10' 2"	15'
221BHWE	5290	1710	670	43	30	60	40	26' 0"	8'	10'8"	15'
229RKWE	5130	2070	590	43	30	30	40	26' 11"	8'	10'8"	19'
252RDWE	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
268BHWE	5740	1460	580	43	30	60	40	30° 7°	8'	10' 8"	19'
282QBWE	TBD	TBD	TBD	43	30	60	40	32' 11"	81	10'8"	21'
2400RBWE	5690	1910	630	43	30	60	40	28' 10"	8'	10' 10"	21'
2401BHWE	TBD	TBD	TBD	43	38	76	40	28' 11"	8'	10'8"	21'
2700RLWE	TBD	TBD	TBD	43	38	76	40	31' 11"	8'	10'8"	19'
2704RKWE	6260	1940	660	43	30	30	40	31' 7"	8'	10'8"	19'
2951BHWE	TBD	TBD	TBD	43	30	60	40	33' 4"	8'	11' 2"	21'

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this brochure. All features, floor plans, and specifications in this brochure are subject to change without notice. Please also consult Keystone's web site at www.keystonerv.com for more current product information and specifications. Tow Vehicle Disclaimer, CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability or damages suffered as a result of the selection, operation, use or misose of a tow vehicle. The TOW VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/coupler to rear humper of trailer. Please review owner's manual prior to purchase for more information on service warranties, extended use, towing and maintenance. Owner's manuals can be found at keystonery.com.





PASSPORT MODEL SPECIFICATIONS

SL-SERIES TRAVEL TRAILERS

MODEL	WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	LPG	LENGTH*	WIDTH	HEIGHT	AWNING
189RB	4670	1760	530	43	30	30	40	22' 9"	8'	10' 4"	10'
219BH	4672	1758	535	43	30	30	40	25' 6"	8'	10' 4"	15'
221BH	5181	1819	685	43	30	60	40	26' 0"	8'	10' 8"	15'
229RK	5170	2030	575	43	30	30	40	26' 10"	8'	10' 8"	19'
252RD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
268BH	5760	1440	595	43	30	60	40	30' 7"	8'	10' 8"	19'
282QB	6145	1555	750	43	30	60	40	32' 11"	8'	10' 8"	21'

GT-SERIES TRAVEL TRAILERS

MODEL	WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	LPG	LENGTH*	WIDTH	HEIGHT	AWNING
2400RB	5725	1875	635	43	38	76	40	28' 10"	8'	10' 8"	21'
2401BH	TBD	TBD	TBD	43	38	76	40	28' 11"	8'	10' 8"	21'
2700RL	TBD	TBD	TBD	43	38	76	40	31' 11"	8'	10' 8"	19'
2704RK	6260	1940	660	43	38	76	40	31' 7"	8'	10' 8"	19'
2870RL	6845	1755	860	43	38	76	40	32' 8"	8'	11' 2"	10'/10'
2951BH	6535	1665	745	43	38	76	40	33' 4"	8'	11' 2"	21'
3352BH	7660	1840	950	43	76	76	40	37' 11"	8'	11' 2"	21'
3401QD	TBD	TBD	TBD	43	38	76	40	38' 11"	8'	11' 2"	21'

OR WESTERN PRODUCTION MODELS

MODEL	WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	LPG	LENGTH*	WIDTH	HEIGHT	AWNING
189RBWE	TBD	TBD	TBD	43	30	30	40	22' 9"	8'	10' 2"	10'
219BHWE	4660	1770	540	43	30	30	40	25' 6"	8'	10' 2"	15'
221BHWE	5290	1710	670	43	30	60	40	26' 0"	8'	10' 8"	15'
229RKWE	5130	2070	590	43	30	30	40	26' 11"	8'	10' 8"	19'
252RDWE	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
268BHWE	5740	1460	580	43	30	60	40	30' 7"	8'	10' 8"	19'
282QBWE	TBD	TBD	TBD	43	30	60	40	32' 11"	8'	10' 8"	21'
2400RBWE	5690	1910	630	43	30	60	40	28' 10"	8'	10' 10"	21'
2401BHWE	TBD	TBD	TBD	43	38	76	40	28' 11"	8'	10' 8"	21'
2700RLWE	TBD	TBD	TBD	43	38	76	40	31' 11"	8'	10' 8"	19'
2704RKWE	6260	1940	660	43	30	30	40	31' 7"	8'	10' 8"	19'
2951BHWE	TBD	TBD	TBD	43	30	60	40	33' 4"	8'	11' 2"	21'

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this brochure. All features, floor plans, and specifications in this brochure are subject to change without notice. Please also consult Keystone's web site at www.keystonerv.com for more current product information and specifications. Tow Vehicle Disclaimer. CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. Please review owner's manual prior to purchase for more information on service warranties, extended use, towing and maintenance. Owner's manuals can be found at keystonery.com.





LAUNCHING AS STANDARD EQUIPMENT ON ALL KEYSTONE TRAVEL TRAILERS AND FIFTH WHEELS, FALL 2021



The Solar Energy System You've Been Waiting For

Impossibly versatile, exceptionally designed, SolarFlex is shattering customers' expectations of factory-installed solar power. SolarFlex eliminates the guesswork to deliver affordable, high quality solar energy systems.



Learn more about the SolarFlex difference and packages now available.



LAUNCHING AS STANDARD EQUIPMENT ON ALL KEYSTONE TRAVEL TRAILERS AND FIFTH WHEELS, FALL 2021



The Solar Energy System You've Been Waiting For

Impossibly versatile, exceptionally designed, SolarFlex is shattering customers' expectations of factory-installed solar power. SolarFlex eliminates the guesswork to deliver affordable, high quality solar energy systems.



Learn more about the SolarFlex difference and packages now available.

